

**ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD**

NO.32, AGRI-TECH ROAD,ZHENGZHOU CITY ,CHINA

TEL:0086 371 66722268 FAX:0086 371 66722255

PROFORMA INVOICE**INVOICE NO:** VIDAR20220525YW**DATE:** 25TH,MAY,2022**Seller:** ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD**Address:**NO.32, AGRI-TECH ROAD,ZHENGZHOU CITY ,CHINA**Buyer:** VALUA TANNERY LIMITED**Address:** PLOT NO.YS3+YS4+YS5 BSCIC TANNERY ESTATE AREA,SAVAR,DHAKA,BANGLADESH.**Name of the goods and its specifications, quantity, unit price and total value:**

Name of Commodity, Specification	Quantity PACKING	Unit Price CFR CHATTOGRAM PORT BANGLADESH USD/MT	Total Value(USD)
SODA ASH LIGHT 99.2% H.S. CODE:28362000 COUNTRY OF ORIGIN:CHINA	25MT (50KG BAGS)	660	16500.00
Oxalic Acid 99.6% H.S. CODE:29171110 COUNTRY OF ORIGIN:CHINA	25MT (25KG BAGS)	898	22450.00
Sodium Bicarbonate H.S. CODE:28363000 COUNTRY OF ORIGIN:CHINA	27MT (25KG BAGS)	590	15930.00
Ammonium Chloride, industrial grade H.S. CODE:28271090 COUNTRY OF ORIGIN:CHINA	22MT (50KG BAGS)	550	12100.00
TOTAL			66980.00

FOB VALUE :USD48890.00

FREIGHT VALUE :USD15000.00

SHIPMENT : WITHIN 25 DAYS AFTER RECEIVE LC**PORT OF LOADING** : ANY PORT OF CHINA.**PORT OF DISCHARGE** : PORT OF CHATTOGRAM BANGLADESH.**PARTIAL SHIPMENT** : ALLOWED.**TRANSHIPMENT** : ALLOWED.**PAYMENT** : 100% L/C AT SIGHT

BANK DETAILS:

BENEFICIARY NAME: ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD

BENEFICIARY ADDRESS: NO.32 AGRI-TECH ROAD,ZHENGZHOU,CHINA

BENEFICIARY BANK NAME: BANK OF CHINA , HENAN BRANCH

BANK ADDRESS: NO.3-1,SHANGWU WAIHUAN ROAD,ZHENGDONG NEW DISTRICT, ZHENGZHOU, CHINA

SWIFT NO.: BKCHCNBJ530


A/C NO.OF BENEFICIARY: 00000249400704932

Pl note: This is the only designated bank account, other bank accounts are considered to be null and void.

SELLER:

ZHENGZHOU VIDAR WATER INDUSTRIAL CO., LTD

For and on behalf of
ZHENGZHOU VIDAR WATER INDUSTRIAL CO., LTD
.....
Authorized Signature(s)



Reprint From MFA-0000-000000

Instance Type and Transmission

Notification

(Transmission) of Original sent to SWIFT (ACK)

Network Delivery Status: Network Ack

Priority/Delivery : Normal

Message Input 1739 220530BSONBDDHABBA4083217857

Reference :

Message Header

Swift Input: FIN 700 Issue of a Documentary Credit
Sender : BSONBDDHBBA
SONALI BANK LIMITED
(BANGA BANDHU AVENUE CORPORATE BRANCH)
DHAKA BD
Receiver : BKCHCNBJ530
BANK OF CHINA
(HENAN BRANCH)
ZHENGZHOU CN
MUR : BBA/SM-22/541

Message Text

F27: Sequence of Total
Number: 1/
Total: 1
F40A: Form of Documentary Credit
IRREVOCABLE
F20: Documentary Credit Number
033822010070
F31C: Date of Issue
220530 2022 May 30
F40E: Applicable Rules
Applicable Rules: UCP LATEST VERSION
F31D: Date and Place of Expiry
Date: 220720 2022 Jul 20
Place: IN CHINA
F50: Applicant
VULUA TANNERY LIMITED
PLOT NO.YS3,YS4,YS5,
BSCIC TANNERY ESTATE AREA
HEMAYETPUR,SAVAR,DHAKA,BANGLADESH.
F59: Beneficiary
Name and Address:
ZHENGZHOU VIDAR WATER INDUSTRIAL
CO.,LTD NO.32,AGRI-TECH ROAD,
ZHENGZHOU CITY,CHINA.
F32B: Currency Code, Amount
Currency: USD US DOLLAR
Amount: 68080, #68.080,#
F41D: Available With ... By ... - Name and Address - Code
Name and Address: ANY BANK IN CHINA
Code: BY NEGOTIATION
F42C: Drafts at ...

AT SIGHT.

F42A: Drawee - Party Identifier - Identifier Code
 Identifier Code:
 BSONBDDHBBA
 SONALI BANK LIMITED
 (BANGA BANDHU AVENUE CORPORATE BRANCH)
 DHAKA BD

F43P: Partial Shipments
 ALLOWED

F43T: Transshipment
 ALLOWED

F44E: Port of Loading/Airport of Departure
 ANY SEAPORT OF CHINA

F44F: Port of Discharge/Airport of Destination
 CHATTOGRAM SEAPORT, BANGLADESH.

F44C: Latest Date of Shipment
 220630 2022 Jun 30

F45A: Description of Goods and/or Services
 SODA ASH LIGHT 99.2PCT
 H.S.CODE NO:2836.20.00
 QTY:25 MT, UNIT PRICE USD660,00 PER MT

OXALIC ACID 99.6PCT
 H.S.CODE NO:2917.11.10
 QTY:25 MT, UNIT PRICE USD898,00 PER MT

SODIUM BICARBONATE
 H.S.CODE NO:2836.30.00
 QTY:27 MT, UNIT PRICE USD590,00 PER MT

AMMONIUM CHLORIDE, INDUSTRIAL GRADE
 H.S.CODE NO:2827.10.90
 QTY:24 MT, UNIT PRICE USD550,00 PER MT

CFR CHATTOGRAM, BANGLADESH.

SPECIFICATION, QUALITY, QUANTITY, PACKING, MARKING, RATE AND ALL
 OTHER DETAILS OF THE GOODS ARE AS PER BENEFICIARY PROFORMA
 INVOICE NO.VIDAR20220525YW DATE:25.05.2022.

F46A: Documents Required
 BENEFICIARY'S DRAFT(S) FOR 100 PCT INVOICE VALUE TO BE DRAWN ON
 ISSUING BANK ACCOMPANIED BY THE FOLLOWING DOCUMENTS:

- 01.SIGNED COMMERCIAL INVOICE IN ONE ORIGINAL AND 6(SIX) COPIES
 CERTIFYING MERCHANDISE ARE OF CHIAN ORIGIN SHOWING LCA
 NO.193138, IRC NO.E-39829(OLD), 260326120127220(NEW) E-TIN
 339435597063 AND VAT REG.NO.000611766-0403.FOB VALUE AND
 FREIGHT CHARGES MUST BE MENTIONED SEPARATELY IN INVOICE.
- 02.FULL SET ORIGINAL PLUS 3(THREE) COPIES 'SHIPPED ON BOARD'
 OCEAN BILL OF LADING TO BE ISSUED OR ENDORSED TO THE ORDER OF
 SONALI BANK LIMITED, BANGA BANDHU AVENUE CORPORATE BRANCH,
 DHAKA, BANGLADESH MARKED 'FREIGHT PREPAID' MENTIONING FULL
 DESCRIPTION OF GOODS, LCA NO., PROFORMA INVOICE NO.VAT REG.NO.
 NOTIFY:APPLICANT AND ISSUING BANK GIVING FULL NAME AND
 ADDRESS.
- 03.SIGNED DETAILED PACKING LIST IN ONE ORIGINAL AND 6(SIX) COPIES.
- 04.CERTIFICATE OF ORIGIN TO BE ISSUED BY LOCAL CHAMBER OF
 COMMERCE IN ONE ORIGINAL AND 2(TWO) COPIES.
- 05.ONE COMPLETE SET OF NON-NEGOTIABLE SHIPPING DOCUMENTS TO BE
 SENT TO THE APPLICANT BY COURIER/E-MAIL WITHIN FIFTEEN DAYS
 FROM SHIPMENT AND CERTIFICATE TO THIS EFFECT ALONG WITH
 RELATED COURIER RECEIPT/E-MAIL COPY TO ACCOMPANY THE ORIGINAL
 DOCUMENTS.
- 06.INSURANCE BUYER'S CARE.ALL SHIPMENT UNDER THIS CREDIT MUST BE

ADVISED BY E-MAIL TO THE APPLICANT E-MAIL:vuluabd@gmail.com,
ISSUING BANK E-MAIL:bbavecorp@sonalibank.com.bd AND TO
INSURANCE CO:EXPRESS INSURANCE LIMITED,LOCAL OFFICE,
28,DILKUSHA C/A,16TH FLOOR,SUIT-1602,DHAKA-1000,BANGLADESH.
PHONE:9572284,FAX:88-02-9568616,E-MAIL:lo.eilbd AT gmail.com.
WITHIN SEVEN DAYS OF SHIPMENT AS FOLLOWS:

- A) INSURANCE COVER NOTE NO.EIL/LO/MC-0101/05/2022 DT.29.05.2022
- B) OUR CREDIT NO.:
- C) APPLICANT'S NAME:
- D) VALUE OF GOODS SHIPPED:
- E) BILL OF LADING NO. AND DATE:
- F) PORT OF LOADING AND DESTINATION:
- G) CARTON NO.OR CONTAINER NO.IF ANY:

A COPY OF SUCH ADVICE MUST ACCOMPANY WITH THE DOCUMENTS.

F47A: Additional Conditions

- 01.BENEFICIARY MUST CERTIFY ON THE INVOICE THAT THE GOODS SHIPPED ARE STRICTLY IN ACCORDANCE WITH THE TERMS OF THE RELATIVE PROFORMA INVOICE.
- 02.SHIPMENT/TRANSHIPMENT MUST COMPLY BANGLADESHI RULES AND REGULATIONS AND UN SANCTION.
- 03.USD50,00 PLUS SWIFT CHARGES FOR USD30,00 CHARGED FROM EACH SET OF DISCREPANT DOCUMENTS AND OUR PAYMENT CHARGES USD20,00 FOR EACH SET OF DOCUMENT ARE ON BENEFICIARY'S ACCOUNT.
- 04.OUR CREDIT NUMBER AND DATE MUST BE QUOTED IN ALL DOCUMENTS.
- 05.EACH PRESENTATION UNDER THIS CREDIT MUST BE NOTED ON THE REVERSE SIDE OF THE CREDIT BY THE NOMINATING BANK.
- 06.ALL DOCUMENTS MUST BE FORWARDED BY COURIER SERVICE IN 2(TWO) LOTS AT OUR ADDRESS AS FOLLOWS:
SONALI BANK LIMITED,BANGABANDHU AVENUE CORPORATE BRANCH,28,
BANGABANDHU AVENUE,DHAKA-1000,BANGLADESH.
- 07.ALL DOCUMENTS TO BE PREPARED IN ENGLISH LANGUAGE.
- 08.COUNTRY OF ORIGIN TO BE MARKED IN ALL PACKAGES.
- 09.SHORT FORM AND BLANK BACK BILL OF LADING NOT ACCEPTABLE.
- 10.ALL DOCUMENTS SHOULD BE DATED.
- 11.IMPORTER'S NAME ADDRESS AND TIN MUST EITHER BE PRINTED OR WRITTEN IN INDELETABLE INK ON THE BIGGEST PACKAGE/BOX OF THE SHIPMENT.
- 12.GOODS IMPORT UNDER BOND LICENCE TO BE MARKED IN ALL DOCUMENTS.
- 13.SONALI BANK LIMITED'S BIN NO.000000063-0002 SHOULD BE MENTIONED IN INVOICE, BILL OF LADING AND OTHER DOCUMENTS.
- 14.THIRD PARTY DOCUMENTS ARE ACCEPTABLE EXCEPT BILL OF EXCHANGE, INVOICE AND PACKING LIST.
- 15.DOCUMENTS DATE EARLIER THAN L/C DATE IS NOT ACCEPTABLE.
- 16.DON'T MENTION NUMBER OF PALLETS IN ALL SHIPPING DOCUMENTS.

F71D: Charges

ALL CHARGES OUTSIDE BANGLADESH AND
CHARGES FOR F47A(03) ARE ON
BENEFICIARY'S ACCOUNT.

F48: Period for Presentation in Days

Days: 21

Narrative: /WITHIN THE VALIDITY OF THE LC.

F49: Confirmation Instructions

WITHOUT

F78: Instructions to the Paying/Accepting/Negotiating Bank

UPON RECEIPT OF DOCUMENTS COMPLYING WITH THE L/C TERMS WE WILL
PAY AS PER NEGOTIATING/COLLECTING BANK'S INSTRUCTION.PLEASE
PROVIDE US YOUR ACCOUNT DETAILS.

THIS CREDIT IS SUBJECT TO UNIFORM CUSTOMS AND PRACTICE FOR
DOCUMENTARY CREDIT (2007 REVISION) ICC PUBLICATION NO.600..
REGARDS.

Message Trailer

{CHK:C0AD0003D21D}

PKI Signature: MAC-Equivalent

UNRECORDED
CUSTOMS AND
EXCISE SERVICE



SHANDONG YUYUAN GROUP

Web: www.yuyuangroup.net

山东裕源
SHANDONGYUYUAN

SHANDONG YUYUAN GROUP CO.,LTD

Yuyuan Technology Building, Coast Economic Development Area, Weifang City, Shandong province P.R.China

Tel:+86-536-8650881 Fax:+86-536-8650931

CERTIFICATE OF ANALYSIS

PRODUCT NAME: Oxalic Acid 99.6%

Date: Jan.17th, 2018

ITEM (GB/T 1626-2008)	SPECIFICATIONS	RESULT
APPEARANCE	WHITE CRYSTALS	WHITE CRYSTALS
PURITY %	99.6% min	99.67%
SULPHATE %	0.07%max	0.03
HEAVY METALS (As Pb) %	0.0005% max	0.0005
FE %	0.0005%max	0.00010
CHLORIDE %	0.0005 %max	0.0005
IGNITION %	0.01 %max	Not detected



产品检验报告单
CERTIFICATE OF ANALYSIS

产品名称: 草酸

Product: Oxalic Acid

报告日期: 2018-03-01

数量: 75mts

生产批号: 20180301LF/1

Batch No: 20180301LF/1

Report Date: 01/03/2018

Quantity : 75mts

Item	Standard	Analysis Result
Appearance	Clear Transparent Crystal	
Purity	99.6min	99.75
SO4 \leq %	0.002	0.001
Water insolubility	\leq 0.005 %	0.004%
Cl \leq %	0.002	0.0015
N \leq %	0.002	0.001
Heavy Metal \leq %	0.0004	0.00025
Readily Carbonizable Substance	Qualified	Qualified

Remarks : Analysis Standrad: **GB/T 1626-2008**



审核: 李玉荣
Examinator

制表: 王娜
Tester



ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD

Factory add: Zhitian High-Tech Industrial Zone,Zhitian Town,Gongyi City, P.R. China

Head Office: No.32, Agri-Tech Road, Zhengzhou City, P.R. China

TEL:+0086-371-66722268 FAX:+0086-371-66722255

Certificate of Analysis

Product name: Soda ash (light)

Report Date:2022.08.08

Batch No.:202203VTP

Test Date:2022.08.06

Quantity: 23MT(40kg bags)

MFG:V202203TU

Analysis Item(检验项)

Specification (标准参数)

Result (检测结果)

Total alkali(quality fraction of Na2CO3 dry basis)

99.2%min

99.26%

NaCl (quality fraction of NaCl dry basis)

0.70max

0.35%

Fe quality fraction (dry basis)

0.0035max

0.0002%

Sulfate(quality fraction of SO4 dry basis)

0.03max

0.022%

Water-fast substance in quality fraction

0.03max

0.01%

Sign:

For and on behalf of
ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD
Authorized Signature(s)

Quality-Control Department:

Retrial: MR LIU

Analyst: LI FEI

ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD(QC-DEPARTMENT)



ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD

No.32,Agri-Tech Road,Zhengzhou City,China
Tel.: +86 371 66722268 Fax: +86 371 66722255

=====

Material Safety Data Sheet

Sodium Bicarbonate MSDS

Section 1 - Chemical Product and Company Identification

Product Name: Sodium Bicarbonate

Synonyms: Baking Soda, Sodium Acid Carbonate, Sodium Hydrogen Carbonate, Monosodium Carbonate, Bicarbonate of Soda.

Company Identification: Zhengzhou Vidar Water Industrial Co.,Ltd.

Add:No.32,Agri-Tech Road,Zhengzhou City,China

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
144-55-8	Sodium Bicarbonate	100

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: white. May cause respiratory and digestive tract irritation. Moisture sensitive.

May cause skin irritation.

Causes eye irritation. Warning! Target Organs: None.

Potential Health Effects

Eye: Causes eye irritation. Causes redness and pain.

Skin: May cause skin irritation. Repeated or prolonged exposure may cause drying and cracking of the skin.

Ingestion: May cause irritation of the digestive tract.

Inhalation: May cause respiratory tract irritation.

Chronic: Prolonged or repeated skin contact may cause irritation.

Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. Do NOT allow victim to rub or keep eyes closed.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes.

Get medical aid if irritation develops or persists. Wash clothing before reuse.

Ingestion: Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cups of milk or water.

Get medical aid if irritation or symptoms occur.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use extinguishing media appropriate to the surrounding fire.

Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Use agent most appropriate to extinguish fire. Do NOT get water inside containers. Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. Do not get water inside containers.

Section 7 - Handling and Storage

Handling: Use with adequate ventilation. Minimize dust generation and accumulation. Avoid prolonged or repeated contact with skin. Avoid breathing vapors from heated material. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation. Do not allow contact with water. Keep from contact with moist air and steam.

Storage: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

Store protected from moisture.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

OSHA Vacated PELs: Sodium Bicarbonate: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye

and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR §1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Section 9 - Physical and Chemical Properties

Physical State: Granule

Appearance: white

Odor: odorless

pH: 8.3 (0.1M solution)

Vapor Pressure: Not available.

Vapor Density: Not available.

Evaporation Rate:Not available.

Viscosity: Not available.

Boiling Point: Not available.

Freezing/Melting Point:270 deg F

Autoignition Temperature: Not applicable.

Flash Point: Not applicable.

Decomposition Temperature:Not available.

NFPA Rating: (estimated)

Solubility: Soluble in water

Specific Gravity/Density:2.16

Molecular Formula:NaHCO₃

Molecular Weight:83.995

Section 10 - Stability and Reactivity

Chemical Stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Conditions to Avoid: Incompatible materials, dust generation, moisture, excess heat .

Incompatibilities with Other Materials: Oxidizing agents.

Hazardous Decomposition Products:Carbon monoxide,irritating and toxic fumes and gases, carbon dioxide.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

Draize test, rabbit, eye: 100 mg/30S Mild;

Oral , mouse: LD50 = 3360 mg/kg;

Oral , rat: LD50 = 4220 mg/kg;

CAS# 144-55-8 Carcinogenicity:
Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA.

Epidemiology: No information available.

Teratogenicity: Teratogenic effects have occurred in experimental animals.

Reproductive Effects: No information available.

Neurotoxicity: No information available.

Mutagenicity: Mutagenic effects have occurred in experimental animals.

Other Studies: See actual entry in RTECS for complete information.

Section 12 - Ecological Information

Ecotoxicity: No data available. No information available.

Environmental: This chemical released into the environment is not expected to have a significant impact.

Physical : No information available.

Other: No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

Section 14 - Transport Information

Shipping Name: No information available.

Hazard Class: No information available

UN Number: No information available

Packing Group: No information available

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 144-55-8 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic

Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 144-55-8 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

Not available.

Section 16 - Additional Information

Date: 2016/09/25



ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD

No.32, Agri-Tech Road, Zhengzhou City, P.R. China

TEL:+0086-371-66722268 FAX:+0086-371-66722255

Certificate of Analysis

Product name: Sodium bicarbonate

Report Date:2022.08.10

Batch No.:2022197VTP

Test Date:2022.08.09

Quantity: 27MT(25kg bags)

MFG:V20220803YW

Analysis Item(检验项)

Specification (标准参数)

Result (检测结果)

Total Alkalinity (As NaHCO₃)

99.7%

99.77%

Heavy Metal (as Pb) content

≤0.0005%

<0.0005%

As

≤0.0001%

<0.0001%

PH(10g/L liquor)

≤8.5

8.26

Loss on Drying

≤0.2%

0.0681%

Cl

≤0.40%

0.16%

White

≥85

90.0

Appearance

White powder

White powder

Sign:

For and on behalf of
ZHENGZHOU VIDAR WATER INDUSTRIAL CO.,LTD
Authorized Signature(s)

Quality-Control Department:

Retrial: MR jing

Analyst: qiong sisi

ORI BIOCHEMICAL MATERIAL GROUP LTD.(QC-DEPARTMENT)