



SHANDONG YUYUAN ECONOMIC & TRADE CO.,LTD

YUYUAN LOGISTICS BUILDING,WEIFANG FREE TRADE ZONE,WEIFANG CITY,CHINA

TEL:+86-536-8650881 FAX:+86-536-8650931

PROFORMA INVOICE

TO :	Company : B.S.LEATHER COMPLEX Address: Plot No. ZD-13, BSCIC Leather Industrial Estate, Hemayetpur, Savar, Dhaka, Bangladesh Contact person: Taj,Cell no.+8801819211614	INVOICE NO.:	YY20180403
		INVOICE DATE:	3rd April 2018
TERM OF PAYMENT:	L/C AT SIGHT.		
PORT TO LOADING:	TIANJIN PORT,CHINA		
PORT OF DESTINATION:	CHITTAGONG PORT,BANGLADESH		
LATEST TIME OF SHIPMENT:	BEFORE 20 TH MAY 2018		
COUNTRY OF ORIGIN:	CHINA		
PACKING TERM:	HOT SEALING PP BAGS 25KGS.ONE 20'CONTAINER LOAD 25MT WITHOUT PALLETS.		
VALIDITY DATE OF PI:	BEFORE 15 TH JUNE 2018.		
TRADING TERMS:	CFR PRICE TERM.		
DOCUMENTS REQUIRED:	COMMERCIAL INVOICE,PACKLING LIST,CERTIFICATE OF ANALYSIS,BILLS OF LADING		
SEA FREIGHT:	USD 1,250		

MARKS AND NUMBERS	NUMBER AND KIND OF PACKAGE	QUANTITY(MT)	UNIT PRICE(USD)	AMOUNT (USD)
	DESCRIPTION OF GOODS			
N/M	SODIUM FORMATE 98% (HS CODE:29151200)	25MT	300	7,500

TOTAL AMOUNT(USD):	7,500
SAY TOTAL:	SEVEN THOUSAND FIVE HUNDRED US DOLLARS ONLY

BENEFICIARY:	SHANDONG YUYUAN ECONOMIC AND TRADE CO.,LTD.
BENEFICIARY ADDRESS:	YUYUAN LOGISTICS BUILDING,WEIFANG FREE TRADE ZONE,WEIFANG CITY,CHINA
ADVISING BANK :	INDUSTRIAL AND COMMERCIAL BANK OF CHINA WEIFANG BRANCH
ADVISING BANK ADDRESS:	NO.5099 EAST SHENGLI STREET , WEIFANG CHINA.POSTAL CODE:261041
BANK ACCOUNT	1607054319200000563
SWIFT CODE:	ICBKCNBJWFG



[Handwritten signature]



SHANDONG YUYUAN ECONOMIC & TRADE CO.,LTD

YUYUAN LOGISTICS BUILDING,WEIFANG FREE TRADE ZONE,WEIFANG CITY,CHINA

TEL:+86-536-8650881 FAX:+86-536-8650931

PROFORMA INVOICE

TO :	VULUA TANNERY LTD. PLOT NO.:YS3+YS4+YS5, BSCIC TANNERY 1 ESTATE AREA,SAVAR,DHAKA,BANGLADESH Contact person: Taj,Cell no.+8801819211614	INVOICE NO.:	YY20180601
		INVOICE DATE:	1 ST JUNE 2018
TERM OF PAYMENT:	L/C AT SIGHT.		
PORT TO LOADING:	TIANJIN PORT,CHINA		
PORT OF DESTINATION:	CHITTAGONG PORT,BANGLADESH		
LATEST TIME OF SHIPMENT:	BEFORE 30 TH JUNE 2018		
COUNTRY OF ORIGIN:	CHINA		
PACKING TERM:	HOT SEALING PP BAGS 25KGS.ONE 20'CONTAINER LOAD 25MT WITHOUT PALLETS.		
VALIDITY DATE OF L/C:	BEFORE 20 TH JULY 2018.		
TRADING TERMS:	CFR PRICE TERM.		
DOCUMENTS REQUIRED:	COMMERCIAL INVOICE,PACKLING LIST,CERTIFICATE OF ANALYSIS,BILLS OF LADING		
SEA FREIGHT:	USD 1,200		

MARKS AND NUMBERS	NUMBER AND KIND OF PACKAGE	QUANTITY(KGS)	UNIT PRICE(USD)	AMOUNT (USD)
	DESCRIPTION OF GOODS			
N/M	SODIUM FORMATE 98% (HS CODE:29151200)	25000KGS	USD 0.610/KG	15,250

TOTAL AMOUNT(USD):	15,250
SAY TOTAL:	FIFTEEN THOUSAND TWO HUNDRED AND FIFTY US DOLLARS ONLY

BENEFICIARY:	SHANDONG YUYUAN ECONOMIC AND TRADE CO.,LTD.
BENEFICIARY ADDRESS:	YUYUAN LOGISTICS BUILDING,WEIFANG FREE TRADE ZONE,WEIFANG CITY,CHINA
ADVISING BANK :	INDUSTRIAL AND COMMERCIAL BANK OF CHINA WEIFANG BRANCH
ADVISING BANK ADDRESS:	NO.5099 EAST SHENGLI STREET , WEIFANG CHINA.POSTAL CODE:261041
BANK ACCOUNT	1607054319200000563
SWIFT CODE:	ICBKCNBJWFG



[Handwritten signature]

Message**Start of Message**

Warning Header:

Possible duplicate emission

Message Identifier

Message Preparation Application: Alliance Message Management - Message Creation
Unique Message Identifier: I ICBKCNBJWFG 700 700 BS LEATHER Q (suffix 7112302816860)

Message Header

Swift Input fin.700 FIN MT700 - Issue of a Documentary Credit
FIN
Sender Unit: TSD
Sender Logical Terminal: MTBLBDDHA
Type: Institution
Institution: MTBLBDDHTSD
Receiver Type: Institution
Institution: ICBKCNBJWFG
Address Expansion Institution: INDUSTRIAL AND COMMERCIAL BANK OF CHINA
Branch: (WEIFANG CITY BRANCH)
City: WEIFANG
Country: CN
Options
Priority: Normal
Monitoring: None
User PDE: No

Message Text

F27: Sequence of Total
Number: 1/
Total: 1
F40A: Form of Documentary Credit
IRREVOCABLE
F20: Documentary Credit Number
222818010803
F31C: Date of Issue
180322 2018 Mar 22
F40E: Applicable Rules
Applicable Rules: UCP LATEST VERSION
F31D: Date and Place of Expiry
Date: 180615 2018 Jun 15
Place: CHINA
F50: Applicant
B.S. LEATHER COMPLEX, HEMAYETPUR,
BASIC LEATHER INDUSTRIAL AREA, PLOT
NO.ZD-13,DHAKA, SAVAR, BANGLADESH.
F59: Beneficiary
Name and Address: SHANDONG YUYUAN ECONOMIC AND TRADE
CO., LTD. YUYUAN LOGISTICS BUILDING
,WEIFANG FREE TRADE ZONE, WEIFANG
CITY, CHINA, TEL: +86-536-8650881
F32B: Currency Code, Amount
Currency: USD US DOLLAR

Amount: 7500,00 #7500,00#

F39B: Maximum Credit Amount
NOT EXCEEDING

F41D: Available With ... By ... - Name and Address - Code
Name and Address: ANY BANK IN CHINA
Code: BY NEGOTIATION

F42C: Drafts at ...
AT SIGHT

F42A: Drawee - Party Identifier - Identifier Code
Identifier Code: MTBLBDDHTSD MUTUAL TRUST BANK LIMITED
(TRADE SERVICES)
DHAKA BD

F43P: Partial Shipments
ALLOWED

F43T: Transshipment
ALLOWED

F44E: Port of Loading/Airport of Departure
ANY SEA PORT OF CHINA

F44F: Port of Discharge/Airport of Destination
CHITAGONG SEA PORT, BANGLADESH

F44C: Latest Date of Shipment
180525 2018 May 25

F45A: Description of Goods and/or Services
SODIUM FORMATE
(CHEMICALS FOR TANNERY(LEATHER INDUSTRY)
H.S.CODE:2915.12.00
.
TOTAL QUANTITY: 25,000 KGS.
UNIT PRICE: USD 0.30 KG
.
TRADE TERMS: CFR,CHITTAGONG, BANGLADESH (INCOTERM 2010)
.
QUALITY, QUANTITY AND ALL OTHER SPECIFICATIONS ARE AS PER
PROFORMA INVOICE NO.YY20180403, DATE: 22.03.2018
OF BENEFICIARY.

F46A: Documents Required

- 1.BENEFICIARY'S DRAFT PAID AT SIGHT TO BE ISSUED DRAWN ON MUTUAL TRUST BANK LTD IN DUPLICATE FOR 100 PERCENT INVOICE VALUE MENTIONING THE LC NUMBER AND DATE.
.
- 2.BENEFICIARY'S SIGNED COMMERCIAL INVOICE IN SIX COPIES CERTIFYING MERCHANDISE ARE OF CHINA ORIGIN AND AMOUNT OF FREIGHT SEPARATELY.
.
- 3.FULL SET OF ORIGINAL CLEAN BILL OF LADING CONSIGNED TO THE ORDER OF MUTUAL TRUST BANK LIMITED, DHAKA, BANGLADESH SHOWING FREIGHT PREPAID AND MARKED NOTIFY PARTY: APPLICANT AND US WITH NAME AND ADDRESS.
.
- 4.ONE SET OF NON-NEGOTIABLE DOCUMENTS UNDER THIS CREDIT MUST BE FORWARDED BY THE BENEFICIARY WITHIN 15 (FIFTEEN) WORKING DAYS AFTER THE DATE OF SHIPMENT TO APPLICANT THROUGH EMAIL: SAFRAN AT THE RATE NET2BD.COM., RELEVANT EMAIL COPY MUST ACCOMPANY WITH THE ORIGINAL DOCUMENTS.
.
- 5.BENEFICIARY'S SHIPMENT ADVISE INDICATING DETAILS OF SHIPMENT (BILL OF LADING NUMBER, NAME OF THE CARRIER, DATE OF SHIPMENT, PORT OF LOADING AND PORT OF DISCHARGE, INVOICE NUMBER AND VALUE, COUNTRY OF ORIGIN) SHOULD BE FAXED : 088-02-9567205 OR EMAIL: CICL AT THE RATE DHAKA.NETD IRECTLY TO CRYSTAL INSURANCE COMPANY LTD.,DILKUSHA DHAKA,FAZLUR RAHMAN CENTRE, (FLAT-7/B) 7TH FLOOR,72,DILKUSHA C/A, DHAKA 1000.REFERRING INSURANCE COVER NOTE NO.CICL/DKH/MC-0279/03/2018 DATE:20.03.2018.RELEVANT EMAIL COPY AND BENEFICIARY'S SUCH SHIPMENT ADVISE SHOULD ACCOMPANY WITH ORIGINAL DOCUMENTS.
.

6.CERTIFICATE OF ORIGIN IN DUPLICATE ISSUED BY CHAMBER OF COMMERCE OR ANY GOVERNMENT AUTHORISED AGENCY OF THE EXPORTING COUNTRY MENTIONING COMMODITIES ARE OF CHINA ORIGIN MUST ACCOMPANY WITH ORIGINAL DOCUMENTS.

7.SIGNED PACKING LIST MENTIONING GROSS AND NET WEIGHT OF THE MERCHANDISE IN TRIPLICATE.

8.CERTIFICATE OF ANALYSIS MUST ACCOMPANY WITH ORIGINAL DOCUMENTS.

F47A: Additional Conditions

1.ALL DOCUMENTS MUST BE DATED. DOCUMENTS DATED AND SHIPMENT DATE MUST NOT BE DATED EARLIER THAN THE DATE OF OPENING OF THIS CREDIT.

2.LCAF NO.063174, IRC. BA-123407 H.S.CODE NO. 2915.12.00,AND L/C NO.222818010803,DATE: 22.03.2018 (BIN/VAT:18141072200 OF MUTUAL TRUST BANK LTD AND BIN/VAT: 19171001796 OF APPLICANT) SHOULD APPEAR IN ALL DOCUMENTS EXCEPT H.S.CODE ON CERTIFICATE OF ORIGIN.

3.BILL OF LADING SHOULD INDICATE GROSS AND NET WEIGHT OF THE MERCHANDISE.

4.ALL DOCUMENTS UNDER THIS CREDIT MUST BE IN ENGLISH.

5.DISCREPANCY CHARGE (IF ANY) USD50.00 WILL BE DEDUCTED FROM EACH SET OF DISCREPANT DOCUMENT.

6.SHIPMENT SHOULD BE EFFECTED BY HONOURING BANGLADESH LAWS AND REGULATIONS REGARDING VESSELS,FLAGS,SEAPORTS, SHIPMENTS AND TRANSHIPMENTS.

7.IMPORTER'S NAME,ADDRESS AND TIN NO.386128402753, BIN/VAT NO. 19171001796 SHOULD EITHER BE PRINTED OR WRITTEN IN IRREMOVABLE INK ON AT LEAST 2 PERCENT OF TOTAL PACKAGES/CARTONS/BOXES OF THE GOODS.BENEFICIARY'S CERTIFICATE IN THIS REGARD MUST ACCOMPANY WITH THE ORIGINAL DOCUMENTS.

8.COUNTRY OF ORIGIN SHOULD BE MENTIONED CLEARLY ON /PACKAGES. A CERTIFICATE FROM THE BENEFICIARY TO THIS EFFECT ACCOMPANY WITH ORIGINAL SHIPPING DOCUMENTS.

9.PACKING: EXPORT STANDARD SEA WORTHY PACKING.

10.OFFICE ADDRESS:48/48/1 MENSHWAR ROAD DHAKA.

11.THIRD PARTY DOCUMENTS ARE ACCEPTABLE EXCEPT DRAFT AND COMMERCIAL INVOICE.

F71B: Charges

ALL CHARGES OUTSIDE BANGLADESH ARE ON ACCOUNT OF BENEFICIARY.

F48: Period for Presentation

21 DAYS FROM THE DATE OF SHIPMENT BUT WITHIN THE VALIDITY OF THIS CREDIT.

F49: Confirmation Instructions

WITHOUT

F78: Instructions to the Paying/Accepting/Negotiating Bank

01.ALL DOCUMENTS SHOULD BE SENT IN ONE LOT TO: MUTUAL TRUST BANK LTD, MTB INTERNATIONAL TRADE SERVICES DIVISION, MTB TOWER (2ND FLOOR), 111, KAZI NAZRUL ISLAM AVENUE, DHAKA-1000, BANGLADESH BY INTERNATIONAL COURIER SERVICE.

02.AMOUNT OF DRAFT(S) NEGOTIATED SHOULD BE ENDORSED ON THE REVERSE SIDE OF THE ORIGINAL ADVISED CREDIT.

03.UFON RECEIPT OF DOCUMENTS STRICTLY COMPLYING THE TERMS AND CONDITIONS OF THE CREDIT ON FIRST PRESENTATION, WE SHALL REMIT THE PROCEEDS TO YOU AS PER YOUR INSTRUCTION.

F72: Sender to Receiver Information

PLEASE ACKNOWLEDGE RECEIPT.

Network Data

Network: SWIFT

End of Message

SHANDONG YUYUAN GROUP CO.,LTD

Yuyuan Technology Building, Coast Economic Development Area, Weifang City, Shandong province P.R.China Tel:+86-536-8650881 Fax:+86-536-8650931

Material Safety Data Sheet

Sodium Formate

Section 1- Chemical Product and Company Identification

MSDS Name: Sodium Formate

Synonyms: Sodium Salt

Company Identification: Shandong Yuyuan Group Co.,Ltd.

Yuyuan Building,Hanting District,Weifang City,Shandong,China

For information, call: +86-536-8650881

Emergency Number:+86-536-8650931

For CHEMTREC assistance, call:+86-536-8650881

Section 2- Composition, Information on Ingredients

CAS#	Chemical Name	EINECS/ELINCS
141-53-7	SODIUM FORMATE	205-488-0

Hazard Symbols: None listed.

Risk Phrases: None listed.

Section 3- Hazards Identification

EMERGENCY OVERVIEW

Appearance: white. Caution! May cause eye irritation. May cause respiratory tract irritation. This is expected to be a low hazard for usual industrial handling. The toxicological properties of this material have not been fully investigated. Hygroscopic. May cause skin irritation.

Target Organs: None known.

Potential Health Effects

Eye: May cause eye irritation.

Skin: Low hazard for usual industrial handling.

Ingestion: Low hazard for usual industrial handling. The toxicological properties of this substance have not been fully investigated.

Inhalation: May cause respiratory tract irritation. The toxicological properties of this substance

SHANDONG YUYUAN GROUP CO.,LTD

Yuyuan Technology Building, Coast Economic Development Area, Weifang City, Shandong province P.R.China Tel:+86-536-8650881 Fax:+86-536-8650931

have not been fully investigated.

Chronic: No information found.

Section 4- First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Wash clothing before reuse.

Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.

Notes to Physician: Treat symptomatically and supportively.

Section 5- Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH(approved or equivalent), and full protective gear. Dusts at sufficient concentrations can form explosive mixtures with air. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas.

Extinguishing Media: For small fires, use water spray, dry chemical, carbon dioxide or chemicals foam. Do NOT get water inside containers.

Section 6- Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/ Leaks: Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up, then place into a suitable container for disposal. Avoid generating dusty conditions. Provide ventilation. Do not get water inside containers.

Section 7-Handling and Storage

SHANDONG YUYUAN GROUP CO.,LTD

Yuyuan Technology Building, Coast Economic Development Area, Weifang City, Shandong province P.R.China Tel:+86-536-8650881 Fax:+86-536-8650931

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from water.

Section 8-Exposure Controls, Personal Protection

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

Exposure Limits:

Chemical Name	ACGIH	NIOSH	OSHA-Final PELs
SODIUM FORMATE	None listed	None listed	None listed

OSHA Vacated PELs: SODIUM FORMATE: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Maintain eye wash fountain and quick-drench facilities in work area. Use chemical safety goggles and /or full face shield where dusting or splashing of solutions is possible.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to minimize contact with skin.

Section 9- Physical and Chemical Properties

Physical State: Solid

Appearance: white

Odor: formic acid-like- weak odor

PH: No information found.

Vapor Pressure: Negligible

Vapor Density: 2.34

Evaporation Rate: negligible

Viscosity: Not available

Boiling Point: Not available.

Freezing/Melting Point: 487 deg F.

SHANDONG YUYUAN GROUP CO.,LTD

Yuyuan Technology Building, Coast Economic Development Area, Weifang City, Shandong province P.R.China Tel:+86-536-8650881 Fax:+86-536-8650931

NFPA Rating:(estimated) Health:1; Flammability: 0; Reactivity: 0

Explosion Limits, Lower: N/A

Upper: N/A

Solubility: Slightly soluble.

Specific Gravity/Density: 1.92

Molecular Formula: CHO₂Na

Moleculat Weight: 67.9956

Section 10- Stability and Reactively

Chemical Stability: Stable uder normal temperatures and pressures.

Conditions to Avoid: High temperatures, incompatible materials, moisture.

Incompatibilities with other Material: Strong oxidizing agents, strong acids.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, sodium oxide.

Hazardous Polymerization: Has not been reported.

Section 11-Toxicological Information

RTECS#:

CAS# 141-53-7: LR0350000

LD50/LC50:

CAS# 141-53-7

Oral, mouse: LD50=11200 mg/kg; <BR.

Epidemiology: No information available.

Teratogenicity: No information available.

Reproductive Effects: No information available.

Neurotoxicity: No information available.

Mutagenicity: Please refer to RTECS# LR0350000 for specific information.

Other Studies: None.

Section 12-Ecological Information

Ecotoxicity: No data available. No infomation available.

Environmental: No information reported.

Physical: No information available.

Other: No information available.

SHANDONG YUYUAN GROUP CO.,LTD

Yuyuan Technology Building, Coast Economic Development Area, Weifang City, Shandong province P.R.China Tel:+86-536-8650881 Fax:+86-536-8650931

Section 13- Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Section 14-Transport Information

	US DOT	IATA	RID/ADR	IMO	Canada TDG
Shipping Name:	No information available.			NO	No information available
Hazard Class:	NO				
UN Number:	NO				
Packing Group:					

Section 15- Regulatory Information

US FEDERAL

TSCA

CAS# 141-53-7 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals are listed under TSCA Section 12b.

Section 302(RQ)

None of the chemicals in this material have an RQ.

SHANDONG YUYUAN GROUP CO.,LTD

Yuyuan Technology Building, Coast Economic Development Area, Weifang City, Shandong
province P.R.China Tel:+86-536-8650881 Fax:+86-536-8650931

Section 302(TPQ)

None of the chemicals in this product have a TPQ.

Section 313

No chemicals are reported under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

Hazard Symbols:

Not available.

WGK(Water Danger/Protection)

CAS# 141-53-7: 1

Section 16-Additional Information

MSDS Creation Date: 07/09/2012

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purpose. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if we have been advised of the possibility of such damages.



SHANDONG YUYUAN GROUP

Web: www.yuyuangroup.net

SHANDONG YUYUAN GROUP CO.,LTD

Yuyuan Technology Building, Coast Economic Development Area, Weifang City, Shandong province P.R.China Tel:+86-536-8650881 Fax:+86-536-8650931

CERTIFICATE OF ANALYSIS

产品检验证书

PRODUCT NAME: SODIUM FORMATE 98% MIN

产品名称: 甲酸钠 98%

DATE: Oct. 21th, 2017

日期: 2017年10月21日

Batch No./生产批号: PLS1021

Production date/生产日期 :2017.10.21

Expiry date/有效日期:2018.10.20

TEST 检测项目	SPECIFICATION 规格	RESULT 结果
SODIUM FORMATE, WT.%, ≥ 甲酸钠含量	98 MIN.	98.9
ORGANIC IMPURITY, WT.%, ≤ 有机化合物	2 MAX.	0.78
CHLORIDE, WT.%, ≤ 氯化物含量	0.5 MAX.	0.1
MOISTURE, WT.%, ≤ 湿度	2 MAX.	0.28
APPERANCE 外观	WHITE CRYSTALLINE POWDER 白色结晶粉末	PASS 合格

检验员: [检 01]

负责人: [检 03]

检验公章: