



CHANGSHA WEICHUANG CHEMICAL CO., LTD

601 C1 BUILDING YONGSHENG COMMERCE SQUARE, NO.222 LABOR EAST
ROAD, CHANGSHA, HUNAN, CHINA
TEL: 0086-731-85573000 FAX: 0086-731-84765733

PROFORMA INVOICE

INVOICE NO: CSWC220526

DATE: 26TH, MAY, 2022

Seller: CHANGSHA WEICHUANG CHEMICAL CO., LTD

Address: 601 C1 BUILDING YONGSHENG COMMERCE

SQUARE, NO.222 LABOR EAST

ROAD, CHANGSHA, HUNAN, CHINA

Buyer: VALUA TANNERY LIMITED

Address: PLOT NO.YS3+YS4+YS5 BSCIC TANNERY ESTATE AREA, SAVAR, DHAKA, BANGLADESH.

Name of the goods and its specifications, quantity, unit price and total value:

Name of Commodity, Specification	Quantity PACKING	Unit Price CFR CHATTOGRAM PORT BANGLADESH USD/MT	Total Value(USD)
SODIUM THIOSULPHATE 99% MIN H.S. CODE:28323000 COUNTRY OF ORIGIN:CHINA	43MT (25KG BAGS)	675	29025.00
TOTAL			29025.00

FOB VALUE : USD23650
FREIGHT VALUE : USD5375
SHIPMENT : WITHIN 20 DAYS AFTER RECEIVE LC
PORT OF LOADING : ANY PORT OF CHINA.
PORT OF DISCHARGE : PORT OF CHATTOGRAM BANGLADESH.
PARTIAL SHIPMENT : ALLOWED.
TRANSHIPMENT : ALLOWED.
PAYMENT : 100% L/C AT SIGHT

For and on behalf of
CHANGSHA WEICHUANG CHEMICAL CO., LTD
长沙伟创化工有限公司
Juny
Authorized Signature(s)

BANK DETAILS:

BENEFICIARY NAME: CHANGSHA WEICHUANG CHEMICAL CO.,LTD
BENEFICIARY ADDRESS: 601 C1 BUILDING YONGSHENG COMMERCE
SQUARE,NO.222 LABOR EAST ROAD,CHANGSHA,HUNAN,CHINA

BENEFICIARY BANK NAME: **Industrial and Commercial Bank of
China Hunan Branch**

BANK ADDRESS: NO.81 ShaoShan Middle Road,Changsha,Hunan,China


SWIFT NO.: ICBKCNBJHUN

A/C NO.OF BENEFICIARY: **1901009019200014609**

**Pl note: This is the only designated bank account, other bank accounts are considered to be
null and void.**

SELLER:

CHANGSHA WEICHUANG CHEMICAL CO., LTD



Reprint From MFA-0000-000000

Instance Type and Transmission

Notification

(Transmission) of Original sent to SWIFT (ACK)

Network Delivery Status: Network Ack

Priority/Delivery : Normal

Message Input 1738 220530BSONBDDHABBA4083217854

Reference :

Message Header

Swift Input: FIN 700 Issue of a Documentary Credit

Sender : BSONBDDHBBA

SONALI BANK LIMITED

(BANGA BANDHU AVENUE CORPORATE BRANCH)

DHAKA

BD

Receiver : RCBJCNBJXXX

JIANGSU JINGJIANG RURAL COMMERCIAL BANK CO., LTD

TAI ZHOU CN

MUR : BBA/SM-22/540

Message Text

F27: Sequence of Total

Number: 1/

Total: 1

F40A: Form of Documentary Credit

IRREVOCABLE

F20: Documentary Credit Number

033822010069

F31C: Date of Issue

220530 2022 May 30

F40E: Applicable Rules

Applicable Rules: UCP LATEST VERSION

F31D: Date and Place of Expiry

Date: 220720 2022 Jul 20

Place: IN CHINA

F50: Applicant

VULUA TANNERY LIMITED

PLOT NO.YS3,YS4,YS5,

BSCIC TANNERY ESTATE AREA

HEMAYETPUR, SAVAR, DHAKA, BANGLADESH.

F59: Beneficiary

Name and Address:

CHANGSHA WEICHUANG CHEMICAL CO.,LTD

601 C1 BUILDING YONGSHENG COMMERCE

SQUARE,NO.222 LABOR EAST ROAD,

CHANGSHA,HUNAN, CHINA.

F32B: Currency Code, Amount

Currency: USD US DOLLAR

Amount: 30100, #30.100,#

F41D: Available With ... By ... - Name and Address - Code

Name and Address: ANY BANK IN CHINA

Code: BY NEGOTIATION

F42C: Drafts at ...

AT SIGHT.

F42A: Drawee - Party Identifier - Identifier Code
Identifier Code:

BSONBDDHBBA

SONALI BANK LIMITED
(BANGA BANDHU AVENUE CORPORATE BRANCH)
DHAKA BD

F43P: Partial Shipments
ALLOWED

F43T: Transshipment
ALLOWED

F44E: Port of Loading/Airport of Departure
ANY SEAPORT OF CHINA

F44F: Port of Discharge/Airport of Destination
CHATTOGRAM SEAPORT, BANGLADESH.

F44C: Latest Date of Shipment
220630 2022 Jun 30

F45A: Description of Goods and/or Services
SODIUM THIOSULPHATE 99PCT MIN
H.S.CODE NO:2832.30.00
QTY:43 MT, UNIT PRICE USD700,00 PER MT

CFR CHATTOGRAM, BANGLADESH.

SPECIFICATION, QUALITY, QUANTITY, PACKING, MARKING, RATE AND ALL
OTHER DETAILS OF THE GOODS ARE AS PER BENEFICIARY PROFORMA
INVOICE NO.CSWC220526 DATE:26.05.2022.

F46A: Documents Required

BENEFICIARY'S DRAFT(S) FOR 100 PCT INVOICE VALUE TO BE DRAWN ON
ISSUING BANK ACCOMPANIED BY THE FOLLOWING DOCUMENTS:

- 01.SIGNED COMMERCIAL INVOICE IN ONE ORIGINAL AND 6(SIX) COPIES
CERTIFYING MERCHANDISE ARE OF CHIAN ORIGIN SHOWING LCA
NO.193139,IRC NO.E-39829(OLD),260326120127220(NEW) E-TIN
339435597063 AND VAT REG.NO.000611766-0403.FOB VALUE AND
FREIGHT CHARGES MUST BE MENTIONED SEPARATELY IN INVOICE.
- 02.FULL SET ORIGINAL PLUS 3(THREE) COPIES ''SHIPPED ON BOARD''
OCEAN BILL OF LADING TO BE ISSUED OR ENDORSED TO THE ORDER OF
SONALI BANK LIMITED,BANGA BANDHU AVENUE CORPORATE BRANCH,
DHAKA,BANGLADESH MARKED ''FREIGHT PREPAID'' MENTIONING FULL
DESCRIPTION OF GOODS,LCA NO.,PROFORMA INVOICE NO.VAT REG.NO.
NOTIFY:APPLICANT AND ISSUING BANK GIVING FULL NAME AND
ADDRESS.
- 03.SIGNED DETAILED PACKING LIST IN ONE ORIGINAL AND 6(SIX)COPIES.
- 04.CERTIFICATE OF ORIGIN TO BE ISSUED BY LOCAL CHAMBER OF
COMMERCE IN ONE ORIGINAL AND 2(TWO) COPIES.
- 05.ONE COMPLETE SET OF NON-NEGOTIABLE SHIPPING DOCUMENTS TO BE
SENT TO THE APPLICANT BY COURIER/E-MAIL WITHIN FIFTEEN DAYS
FROM SHIPMENT AND CERTIFICATE TO THIS EFFECT ALONG WITH
RELATED COURIER RECEIPT/E-MAIL COPY TO ACCOMPANY THE ORIGINAL
DOCUMENTS.
- 06.INSURANCE BUYER'S CARE.ALL SHIPMENT UNDER THIS CREDIT MUST BE
ADVISED BY E-MAIL TO THE APPLICANT E-MAIL:vuluabd@gmail.com,
ISSUING BANK E-MAIL:bbavecorp@sonalibank.com.bd AND TO
INSURANCE CO:EXPRESS INSURANCE LIMITED,LOCAL OFFICE,
28,DILKUSHA C/A,16TH FLOOR,SUIT-1602,DHAKA-1000,BANGLADESH.
PHONE:9572284,FAX:88-02-9568616,E-MAIL:lo.eilbd AT gmail.com.
WITHIN SEVEN DAYS OF SHIPMENT AS FOLLOWS:

- A)INSURANCE COVER NOTE NO.EIL/LO/MC-0102/05/2022 DT.29.05.2022
- B)OUR CREDIT NO.:
- C)APPLICANT'S NAME:
- D)VALUE OF GOODS SHIPPED:
- E)BILL OF LADING NO. AND DATE:

F) PORT OF LOADING AND DESTINATION:
G) CARTON NO. OR CONTAINER NO. IF ANY:

A COPY OF SUCH ADVICE MUST ACCOMPANY WITH THE DOCUMENTS.

F47A: Additional Conditions

01. BENEFICIARY MUST CERTIFY ON THE INVOICE THAT THE GOODS SHIPPED ARE STRICTLY IN ACCORDANCE WITH THE TERMS OF THE RELATIVE PROFORMA INVOICE.
02. SHIPMENT/TRANSHIPMENT MUST COMPLY BANGLADESHI RULES AND REGULATIONS AND UN SANCTION.
03. USD50,00 PLUS SWIFT CHARGES FOR USD30,00 CHARGED FROM EACH SET OF DISCREPANT DOCUMENTS AND OUR PAYMENT CHARGES USD20,00 FOR EACH SET OF DOCUMENT ARE ON BENEFICIARY'S ACCOUNT.
04. OUR CREDIT NUMBER AND DATE MUST BE QUOTED IN ALL DOCUMENTS.
05. EACH PRESENTATION UNDER THIS CREDIT MUST BE NOTED ON THE REVERSE SIDE OF THE CREDIT BY THE NOMINATING BANK.
06. ALL DOCUMENTS MUST BE FORWARDED BY COURIER SERVICE IN 2(TWO) LOTS AT OUR ADDRESS AS FOLLOWS:
SONALI BANK LIMITED, BANGABANDHU AVENUE CORPORATE BRANCH, 28,
BANGABANDHU AVENUE, DHAKA-1000, BANGLADESH.
07. ALL DOCUMENTS TO BE PREPARED IN ENGLISH LANGUAGE.
08. COUNTRY OF ORIGIN TO BE MARKED IN ALL PACKAGES.
09. SHORT FORM AND BLANK BACK BILL OF LADING NOT ACCEPTABLE.
10. ALL DOCUMENTS SHOULD BE DATED.
11. IMPORTER'S NAME ADDRESS AND TIN MUST EITHER BE PRINTED OR WRITTEN IN INDELETABLE INK ON THE BIGGEST PACKAGE/BOX OF THE SHIPMENT.
12. GOODS IMPORT UNDER BOND LICENCE TO BE MARKED IN ALL DOCUMENTS.
13. SONALI BANK LIMITED'S BIN NO. 000000063-0002 SHOULD BE MENTIONED IN INVOICE, BILL OF LADING AND OTHER DOCUMENTS.
14. THIRD PARTY DOCUMENTS ARE ACCEPTABLE EXCEPT BILL OF EXCHANGE, INVOICE AND PACKING LIST.
15. DOCUMENTS DATE EARLIER THAN L/C DATE IS NOT ACCEPTABLE.
16. DON'T MENTION NUMBER OF PALLETS IN ALL SHIPPING DOCUMENTS.

F71D: Charges

ALL CHARGES OUTSIDE BANGLADESH AND
CHARGES FOR F47A(03) ARE ON
BENEFICIARY'S ACCOUNT.

F48: Period for Presentation in Days

Days: 21

Narrative: /WITHIN THE VALIDITY OF THE LC.

F49: Confirmation Instructions
WITHOUT

F78: Instructions to the Paying/Accepting/Negotiating Bank
UPON RECEIPT OF DOCUMENTS COMPLYING WITH THE L/C TERMS WE WILL
PAY AS PER NEGOTIATING/COLLECTING BANK'S INSTRUCTION. PLEASE
PROVIDE US YOUR ACCOUNT DETAILS.

THIS CREDIT IS SUBJECT TO UNIFORM CUSTOMS AND PRACTICE FOR
DOCUMENTARY CREDIT (2007 REVISION) ICC PUBLICATION NO.600.
REGARDS.

F57A: 'Advise Through' Bank - Party Identifier - Identifier Code
Identifier Code:

ICBKCNBJHUN

INDUSTRIAL AND COMMERCIAL BANK OF CHINA
(HUNAN PROVINCIAL BRANCH)
CHANGSHA CN

Message Trailer

{CHK:AEDE85256F7E}

PKI Signature: MAC-Equivalent

CHANGSHA WEICHUANG CHEMICAL CO., LTD

ADD: 601 C1 Building Yongsheng Commerce Square, No. 222 Labor East Road ,ChangSha,China
TEL:0086-731-85573000(CIVIL DEPARTMENT) 85573222(EXPORT DEPARTMENT)
FAX:0086-731-84765733 EMAIL:JESSON@WEICHUANGCHEM.COM
WEBSITE:WWW.WEICHUANGCHEM.COM

MATERIAL SATETY DATA SHEET

SODIUM THIOSULFATE

1. Product Identification

Synonyms:Sodium thiosulphate, pentahydrate; thiosulfuric acid, disodium salt, pentahydrate

CAS No.:7772-98-7 (Anhydrous) 10102-17-7 (Pentahydrate)

Molecular Weight:248.17

Chemical Formula:Na₂S₂O₃.5H₂O

Product Codes:

J.T. Baker: 3945, 3946, 3951

Mallinckrodt: 7763, 7802, 8100

Effective date: 11/13/2022



2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Sodium Thiosulphate	10102-17-7	100%	NO

3. Hazards Identification

Emergency Overview

CAUTION! MAY BE HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.

SAF-T-DATA^(tm)Ratings (Provided here for your convenience)

Health Rating: 1 - Slight
Flammability Rating: 0 - None
Reactivity Rating: 1 - Slight
Contact Rating: 1 - Slight
Lab Protective Equip: GOGGLES; LAB COAT; PROPER GLOVES
Storage Color Code: Green (General Storage)

Potential Health Effects

Inhalation:

May cause irritation to the respiratory tract. Symptoms may include coughing and shortness of breath.

Ingestion:

Low level of toxicity by ingestion. Diarrhea may occur by ingestion of large quantities.

Skin Contact:

Irritation may occur from prolonged skin contact.

Eye Contact:

Contact may cause mechanical irritation.

Chronic Exposure:

Chronic exposure may cause skin effects.

Aggravation of Pre-existing Conditions:

No information found.

4. First Aid Measures

Inhalation:

Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact:

Wash exposed area with soap and water. Get medical advice if irritation develops.

Eye Contact:

Wash thoroughly with running water. Get medical advice if irritation develops.

5. Fire Fighting Measures

Fire:

Not considered to be a fire hazard.

Explosion:



Not considered to be an explosion hazard.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire.

Special Information:

Use protective clothing and breathing equipment appropriate for the surrounding fire.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8.

Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage.

Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

None established.

Ventilation System:

In general, dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered.

Personal Respirators (NIOSH Approved):

For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:


Wear protective gloves and clean body-covering clothing.

Eye Protection:

Safety glasses. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance:



Monoclinic, colorless crystals.

Odor:

Odorless.

Solubility:

79g/100 ml water @ 4C (39F)

Density:

1.75

pH:

No information found.

% Volatiles by volume @ 21C (70F):

0

Boiling Point:

> 100C (> 212F)

Melting Point:

48C (118F) Loses water @ 100C (212F)

Vapor Density (Air=1):

No information found.

Vapor Pressure (mm Hg):

No information found.

Evaporation Rate (BuAc=1):

No information found.

10. Stability and Reactivity

Stability:

Stable under ordinary conditions of use and storage. Stability limited in solution.

Hazardous Decomposition Products:

Oxides of sulfur and hydrogen sulfide.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Sodium nitrate, halogens, and oxidizing agents. Reacts with acids to release sulfur dioxide.

Conditions to Avoid:

Incompatibles.



11. Toxicological Information

No LD50/LC50 information found relating to normal routes of occupational exposure.

-----\Cancer Lists\-----

Ingredient	---NTP Carcinogen---		IARC Category
	Known	Anticipated	
Sodium Thiosulfate (7772-98-7)	No	No	None

12. Ecological Information

Environmental Fate:

No information found.

Environmental Toxicity:

No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

IMO International maritime Dangerous Goods Code (2014Edition)

Suggestion according to IMO IMDG Code: the substance is not subject to IMO IMDG Code



15. Regulatory Information

-----\Chemical Inventory Status - Part 1\-----

Ingredient	TSCA	EC	Japan	Australia
Sodium Thiosulfate (7772-98-7)	Yes	Yes	Yes	Yes

-----\Chemical Inventory Status - Part 2\-----

Ingredient	--Canada--			
	Korea	DSL	NDSL	Phil.
Sodium Thiosulfate (7772-98-7)	Yes	Yes	No	Yes

-----\Federal, State & International Regulations - Part 1\-----

-SARA 302- -----SARA 313-----

Ingredient	RQ	TPQ	List	Chemical Catg.
Sodium Thiosulfate (7772-98-7)	No	No	No	No

-----\Federal, State & International Regulations - Part 2\-----

Ingredient	CERCLA	-RCRA- 261.33	-TSCA- 8(d)
Sodium Thiosulfate (7772-98-7)	No	No	No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No
 SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No
 Reactivity: No (Pure / Solid)

Australian Hazchem Code:None allocated.

Poison Schedule:None allocated.

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings:Health: 1 Flammability: 0 Reactivity: 0

Label Hazard Warning:

CAUTION! MAY BE HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.

Label Precautions:

- Avoid contact with eyes, skin and clothing.
- Wash thoroughly after handling.
- Avoid breathing dust.
- Keep container closed.
- Use with adequate ventilation.

Label First Aid:

If inhaled, remove to fresh air. Get medical attention for any breathing difficulty. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Get medical attention if irritation develops or persists. If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person.

Product Use:

Laboratory Reagent.

Revision Information:

No Changes.

Disclaimer:



Manufacturer: CHANGSHA WEICHUANG CHEMICAL CO., LTD

ADD: 601 C1 Building Yongsheng Commerce Square, No. 222 Labor East Road ,ChangSha,China

TEL:0086-731-85573000(CIVIL DEPARTMENT) 85573222(EXPORT DEPARTMENT)

FAX:0086-731-84765733

EMAIL:JESSON@WEICHUANGCHEM.COM

WEBSITE:WWW.WEICHUANGCHEM.COM

Emergency contact: penny 13787315543

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.



CHANGSHA WEICHUANG CHEMICAL CO.,LTD

601 C1 BUILDING YONGSHENG COMMERCE SQUARE, No. 222 LABOR EAST ROAD,CHANGSHA,CHINA

TEL:0086-731-85573000 85573222 85573666 FAX:0086-731-84765733

WEB:WWW.WEICHUANGCHEM.COM MSN:JESSONCHEN@MSN.COM

EMAIL:JESSON@WEICHUANGCHEM.COM

TECHNICAL DATA SHEET

PRODUCT NAME: SODIUM THIOSULFATE

CAS NO:10102-17-7

PACKAGE:25KGS BAG

APPEARANCE: COLORLESS OR SLIGHTLY YELLOW

TRANSPARENT MONO-CLINIC CRYSTAL

QUALITY STANDARD: HG/T 2328-92	
NA ₂ S ₂ O ₃ .5H ₂ O	99%MIN
SULFIDE	0.001%MAX
IRON	0.001%MAX
WATER INSOLUBLE MATTER	0.01%MAX
HEAVY METALS AS PB	0.0005%MAX
PH	6.5-9.5

Package: 25KG compound plastic woven bag with inner polythene liner or as per customers' request.

Storage: Store the product in a cool and dry place, prevent from direct sunlight, water and moisture. Avoid contact with strong add oxidants. Do not stores it for long time.