

PROFORMA INVOICE

INVOICE NO: :LRF241006

DATE:24 Oct. 2024

Seller: SICHUAN SHENHONG CHEMICAL INDUSTRY CO., LTD.

Address:YONGXING, MINGSHAN, YAAN, SICHUAN ,CHINA

The Buyer: VULUA TANNERY LIMITED

ADDRESS:PLOT NO.YS3+YS4+YS5 BSCIC TANNERY ESTATE AREA,SAVAR,DHAKA,BANGLADESH.

Name of the goods and its specifications, quantity, unit price and total value:

Name Of Commodity, Specification	Quantity (MT)	Unit Price CFR CHATTOGRAM BANGLADESH (USD/MT)	Total Value (USD)
SODIUM SULPHIDE 60% MIN RED FLAKES, 300PPM MAX, HS CODE:28301000, COUNTRY OF ORIGIN:CHINA	48	485.00	23280.00
TOTAL	48		23280.00

Special Clause: Above Unit Price Based On Freight USD1450/FCL From Loading Port To Chattogram Port, And Both Parties Agree To Negotiate The Final Unit Price Again Once The Freight Increased/Decreased More Than USD100/FCL.

PACKING : IN 25KG PLASTIC WEAVEN BAG,SHENHONG BRAND , 24MT /20 'FCL WITHOUT PALLET.

SHIPMENT : WITHIN 20 DAYS AFTER ORIGINAL LC RECEIVED AND PERMISSION GOTTEN.

PORT OF LOADING : ANY PORT OF CHINA

PORT OF DISCHARGE : CHATTOGRAM SEA PORT BANGLADESH

FREIGHT : USD8700.00

FOB VALUE : USD61140.00

PARTIAL SHIPMENT : ALLOWED

TRANSHIPMENT : ALLOWED

PAYMENT : 100% LC AT SIGHT. LC MUST BE OPENED BEFORE 20 NOV. 2024.

PI VALIDITY : 30 APRIL. 2025

BANK DETAILS FOR SELLER:

BENE' NAME : SICHUAN SHENHONG CHEMICAL INDUSTRY CO., LTD.

BANK NAME : CHINA ZHESHANG BANK

BANK ADD : NO.288 QINGCHUN ROAD HANGZHOU CHINA


A/C NO. : 6510000011420100045673


SWIFT NO : ZJCBCN2N

Pl note: This is the only designated bank account, other bank account are considered to be null and void.

VULUA TANNERY LTD.


M. A. Kuddus
Managing Director


SELLER:
SICHUAN SHENHONG CHEMICAL INDUSTRY CO., LTD.



Start of Message

Message Identifier

Message Preparation Alliance Message Management - Message Modification
Application:
Unique Message Identifier: ICZCBCN2XXXX 700 033824010141 (suffix 2411073050216)

Message Header

Swift Input fin.700

FIN MT700 - Issue of a Documentary
Credit

FIN

Sender
Unit: BBA
Sender Logical Terminal: BSONBDDHA
Type: Institution
Institution: BSONBDDHBBA
Receiver
Type: Institution
Institution: CZCBCN2XXXX
Address Expansion
Institution: ZHEJIANG CHOUZHOU COMMERCIAL BANK CO.,LTD
Branch:
City: HANGZHOU
Country: CN
Options
Priority: Normal
Monitoring: None
User PDE: No
MUR: BBA/SM-24/1346

Message Text

F27: Sequence of Total
Number: 1/
Total: 1
F40A: Form of Documentary Credit
IRREVOCABLE
F20: Documentary Credit Number
033824010141
F31C: Date of Issue
241104 2024 Nov 04
F40E: Applicable Rules
Applicable Rules: UCP LATEST VERSION
F31D: Date and Place of Expiry
Date: 241217 2024 Dec 17
Place: IN CHINA
F50: Applicant
VULUA TANNERY LIMITED

PLOT NO.YS3,YS4,YS5,
BSCIC TANNERY ESTATE AREA
HEMAYETPUR,SAVAR,DHAKA,BANGLADESH.

F59: Beneficiary

Name and Address: SICHUAN SHENHONG CHEMICAL INDUSTRY
CO.,LTD.
YONGXING, MINGSHAN, YAAN,SICHUAN,
CHINA.

F32B: Currency Code, Amount

Currency: USD US DOLLAR
Amount: 23280, #23.280,#

F41D: Available With ... By ... - Name and Address - Code

Name and Address: ANY BANK IN CHINA
Code: BY NEGOTIATION

F42C: Drafts at ...

AT SIGHT

F42A: Drawee - Party Identifier - Identifier Code

Identifier Code: BSONBDDHBEA SONALI BANK PLC
BANGA BANDHU AVENUE
CORPORATE BRANCH
DHAKA BD

F43P: Partial Shipments

ALLOWED

F43T: Transshipment

ALLOWED

F44E: Port of Loading/Airport of Departure

ANY SEA PORT IN CHINA

F44F: Port of Discharge/Airport of Destination

CHATTOGRAM SEAPORT IN BANGLADESH.

F44C: Latest Date of Shipment

241124 2024 Nov 24

F45A: Description of Goods and/or Services

SODIUM SULPHIDE 60% MIN,RED FLAKES,300 PPM MAX,
H.S CODE:2830.10.00
QTY:48 MT, UNIT PRICE USD485.00 PER MT.

COUNTRY OF ORIGIN:CHINA

CFR CHATTOGRAM,BANGLADESH.

SPECIFICATION,QUALITY,QUANTITY,PACKING,MARKING,RATE AND ALL OTHER
DETAILS OF THE GOODS ARE AS PER BENEFICIARY'S PROFORMA INVOICE
NO.LRF241006 DT.24.10.2024

F46A: Documents Required

BENEFICIARY'S DRAFT(S) FOR 100 PCT INVOICE VALUE TO BE DRAWN ON
ISSUING BANK ACCOMPANIED BY THE FOLLOWING DOCUMENTS:

- 01.SIGNED COMMERCIAL INVOICE IN ONE ORIGINAL AND 6(SIX) COPIES
CERTIFYING MERCHANDISE ARE OF CHINA ORIGIN SHOWING
BENEFICIARY'S PROFORMA INVOICE NO.LRF241006 DT.24.10.2024,IRC
NO.E-39829(OLD),260326120127220(NEW),E-TIN NO.339435597063
AND VAT REG.NO.000611766-0403.FOB VALUE AND FREIGHT CHARGES
MUST BE MENTIONED SEPARATELY IN INVOICE.
- 02.FULL SET ORIGINAL PLUS 5(FIVE) COPIES ''SHIPPED ON BOARD''
OCEAN BILL OF LADING TO BE ISSUED OR ENDORSED TO THE ORDER OF
SONALI BANK PLC,BANGABANDHU AVENUE CORPORATE BRANCH,

DHAKA, BANGLADESH MARKED 'FREIGHT PREPAID' MENTIONING FULL DESCRIPTION OF GOODS, PROFORMA INVOICE NO. VAT REG. NO. NOTIFY: APPLICANT AND ISSUING BANK GIVING FULL NAME AND ADDRESS.

03. SIGNED DETAILED PACKING LIST IN ONE ORIGINAL AND 6 (SIX) COPIES.
04. CERTIFICATE OF ORIGIN TO BE ISSUED BY CHAMBER OF COMMERCE IN ONE ORIGINAL AND 03 (THREE) COPIES.
05. ONE COMPLETE SET OF NON-NEGOTIABLE SHIPPING DOCUMENTS TO BE SENT TO THE APPLICANT BY COURIER/E-MAIL WITHIN 15 DAYS FROM SHIPMENT AND CERTIFICATE TO THIS EFFECT ALONG WITH RELATED COURIER RECEIPT/E-MAIL COPY TO ACCOMPANY THE ORIGINAL DOCUMENTS.
06. INSURANCE BUYER'S CARE. ALL SHIPMENT UNDER THIS CREDIT MUST BE ADVISED BY FAX/COURIER/E-MAIL TO THE APPLICANT (FAX NO. 880-2-8611851, E-MAIL: vluabd@gmail.com), ISSUING BANK (FAX NO. 880-2-9555164, E-MAIL: bbavecorp@sonalibank.com.bd) AND TO INSURANCE CO: ISLAMI COMMERCIAL INSURANCE CO. LTD, MALIBAGH BRANCH, 80/A/1, SIDDESHWARI CIRCULAR ROAD, SHAHJALAL TOWER (2ND FLOOR) MALIBAG, DHAKA-1217, PH: 02-9357413, FAX NO: 88-02-47113791, E-MAIL: iciclbd@gmail.com WITHIN FIFTEEN DAYS OF SHIPMENT AS FOLLOWS:

- A) INSURANCE COVER NOTE NO. ICI/MLB/MC-0381/11/2024 DT. 06.11.2024
- B) OUR CREDIT NO.:
- C) APPLICANT'S NAME:
- D) VALUE OF GOODS SHIPPED:
- E) BILL OF LADING NO. AND DATE:
- F) PORT OF LOADING AND DESTINATION:
- G) CARTON NO. OR CONTAINER NO. IF ANY:

A COPY OF SUCH ADVICE MUST ACCOMPANY WITH THE DOCUMENTS.

F47A: Additional Conditions

01. BENEFICIARY MUST CERTIFY ON THE INVOICE THAT THE GOODS SHIPPED ARE STRICTLY IN ACCORDANCE WITH THE TERMS OF THE RELATED PROFORMA INVOICE.
02. TRANSPORTATION OR SHIPMENT SHOULD BE EFFECTED BY COMPANIES HONORING BANGLADESH LAWS AND REGULATIONS REGARDING VESSEL/ CARRIER, FLAGS, PORTS, SHIPMENT AND TRANSSHIPMENT.
03. USD50,00 PLUS SWIFT CHARGES FOR USD30,00 CHARGED FROM EACH SET OF DISCREPANT DOCUMENTS AND OUR PAYMENT CHARGES USD20,00 FOR EACH SET OF DOCUMENT ARE ON BENEFICIARY'S ACCOUNT.
04. OUR CREDIT NUMBER AND DATE MUST BE QUOTED IN ALL DOCUMENTS.
05. EACH PRESENTATION UNDER THIS CREDIT MUST BE NOTED ON THE REVERSE SIDE OF THE CREDIT BY THE NOMINATING BANK.
06. ALL DOCUMENTS MUST BE FORWARDED BY COURIER SERVICE IN 02 (TWO) LOTS AT OUR ADDRESS AS FOLLOWS:
SONALI BANK LIMITED, BANGABANDHU AVENUE CORPORATE BRANCH, 28, BANGABANDHU AVENUE, DHAKA-1000, BANGLADESH.
07. ALL DOCUMENTS TO BE PREPARED IN ENGLISH LANGUAGE.
08. COUNTRY OF ORIGIN TO BE MARKED IN ALL PACKAGES.
09. SHORT FORM AND BLANK BACK BILL OF LADING NOT ACCEPTABLE.
10. ALL DOCUMENTS SHOULD BE DATED.
11. IMPORTER'S NAME ADDRESS AND TIN MUST EITHER BE PRINTED OR WRITTEN IN INDELETABLE INK ON THE BIGGEST PACKAGE/BOX OF THE SHIPMENT.
12. GOODS IMPORT UNDER BOND LICENCE TO BE MARKED IN ALL DOCUMENTS.
13. OUR LC NO., LC DATE, PI NO., PI DATE, SONALI BANK PLC'S BIN NO. 000000063-0002 SHOULD BE MENTIONED IN COMMERCIAL INVOICE, PACKING LIST, BILL OF LADING AND ALL OTHER DOCUMENTS.
14. THIRD PARTY DOCUMENTS ARE NOT ACCEPTABLE.
15. DOCUMENTS DATE EARLIER THAN L/C DATE NOT ACCEPTABLE.

F71D: Charges

ALL CHARGES OUTSIDE BANGLADESH AND
CHARGES FOR F47A(03) ARE ON
BENEFICIARY'S ACCOUNT.

F48: Period for Presentation in Days

Days: 21

Narrative: /WITHIN THE VALIDITY OF THE L/C.

F49: Confirmation Instructions

WITHOUT

F78: Instructions to the Paying/Accepting/Negotiating Bank

UPON RECEIPT OF DOCUMENTS COMPLYING WITH THE L/C TERMS WE WILL
PAY AS PER NEGOTIATING/COLLECTING BANK'S INSTRUCTION. PLEASE
PROVIDE US YOUR ACCOUNT DETAILS.

THIS CREDIT IS SUBJECT TO UNIFORM CUSTOMS AND PRACTICE FOR
DOCUMENTARY CREDIT (2007 REVISION) ICC PUBLICATION NO.600.
REGARDS.

F57A: 'Advise Through' Bank - Party Identifier - Identifier Code

Identifier Code: ZJRCCN2N

ZHEJIANG RURAL COMMERCIAL
UNITED BANK CO.,LTD.

HANGZHOU CN

Network Data

Network: SWIFT

End of Message

Sodium sulfide(60%)

SAFETY DATA SHEET

SDS

SICHUAN SHENHONG CHEMICAL

according to GHS(fifth revised edition)

INDUSTRY CO., LTD.

Section 1 - Product and Company Identification

Product name	Sodium sulfide(60%)
Applicant name	SICHUAN SHENHONG CHEMICAL INDUSTRY CO., LTD.
Application address	QINGJIANG VILLAGE, YONGXING TOWN, MINGSHAN DISTRICT, YAAN, SICHUAN PROVINCE, CHINA
Applicant post code	625107
Applicant fax	+86-835-3430999
Applicant emergency number	+86-835-3431388
Applicant email	shenhong@shjt.cn
Manufacturer name	SICHUAN SHENHONG CHEMICAL INDUSTRY CO., LTD.
Manufacturer address	QINGJIANG VILLAGE, YONGXING TOWN, MINGSHAN DISTRICT, YAAN, SICHUAN PROVINCE, CHINA
Manufacturer post code	625107
Manufacturer fax	+86-835-3430999
Manufacturer emergency number	+86-835-3431388
SDS number	DG1415534E
Effective date	Jan 04, 2015

Section 2 –Hazards Identification

Hazard class and label elements of the substance according to GHS(the fifth revised edition):

GHS hazard class

Health hazard(s)	Acute toxicity, oral	category4
	Acute toxicity, dermal	category3
	Skin corrosion/irritation	category1
Environmental hazard(s)	Hazardous to the aquatic environment, acute hazard	category1

Pictogram



Signal

Danger

Hazard statement(s)

H302 Harmful if swallowed
 H311 Toxic in contact with skin
 H314 Causes severe skin burns and eye damage
 H400 Very toxic to aquatic life

Precautionary statements

Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 Wash thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P312 IF SWALLOWED: Call a POISON CENTER/ doctor/if you feel unwell.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P312 Call a POISON CENTER/doctor/if you feel unwell.
 P330 Rinse mouth.
 P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
 P363 Wash contaminated clothing before reuse.
 P391 Collect spillage.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

Storage

Disposal

Section 3 – Composition/Information on Ingredients

Component	Concentration(%)	CAS No.	EC No.
Hydrated sodium sulfide	Commercial Secrets	—	—

Section 4 – First Aid Measures

After skin contact Take off the contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

After eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion Do Not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

After inhalation If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Section 5 – Fire Fighting Measures

Hazardous products of combustion Carbon oxides, Sulphur oxides
Extinguishing method Use media such as "alcohol" foam, dry chemical, or carbon dioxide to extinguish
Special protective equipment Wear self contained breathing apparatus for fire fighting if necessary.

Section 6 – Accidental Release Measure

Personal protective measures Use personal protective equipment. Avoid dust formation. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
Environmental protective measures Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Methods for taking in and cleaning up Pick up and arrange disposal. Keep in suitable, closed containers for disposal.

Section 7 – Handling and Storage

Handling Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.
Storage Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Section 8 – Exposure Controls/Personal Protection

Engineering Controls Safety shower and eye bath. Mechanical exhaust required.
Respiratory protection Use a full-face supplied air respirator.
Eye protection Wear chemical goggles.
Hand Protection Wear impervious chemical resistant gloves.
Body protection Protective work clothing.

Section 9 – Physical and Chemical Properties

Appearance and properties: Red brown, flaky solid
Odor threshold: No data available
Melting point/freezing point(°C): 1180
Flash point(°C)(closed cup): No data available
Flammability: No data available
Lower explosive limit%(V/V): No data available
Vapor density(g/mL): No data available
Solubility: No data available
Auto-ignition temperature(°C): No data available
Kinematic viscosity (mm²/s): No data available
Odor: No data available
pH value: No data available
Initial boiling point and boiling range(°C): No data available
Evaporation Rate: No data available
Upper explosive limit%(V/V): No data available
Vapor pressure(MPa): No data available
Relative density(g/cm³): 1.86(14°C)
Octanol / water partition coefficient: No data available
Decomposition temperature(°C): No data available

Section 10 – Stability and Reactivity

Reactive	No data available
Chemical stability	Stable under the condition recommended.
Possibility of hazardous reactions	No data available
Avoid conditions	Moisture.
Incompatible materials	Acid, oxidizing agents, aluminum, copper, zinc and their alloys
Hazardous decomposition products	No data available

Section 11 – Toxicological Information

Acute toxicity: No data available.
Skin corrosion/irritation: Cause serious skin burns.
Serious eye damage/eye irritation: Cause serious eye damage.
Respiratory or skin sensitization: No data available
Germ cell mutagenicity: No data available
Carcinogenicity: No data available.
Reproductive toxicity: No data available
Specific target organ toxicity – single exposure: No data available
Specific target organ toxicity – repeated exposure: No data available
Aspiration hazard: No data available

Section 12 – Ecological Information

Toxicity: No data available
Persistence and degradability: No data available
Bioaccumulative potential: No data available
Mobility in soil: No data available
Other adverse effects: Very toxic to aquatic life

Section 13 – Disposal Considerations

Property of waste: No data available.
Methods of disposal: Dispose of in a manner consistent with federal, state, and local regulations. Burning method is recommended.
Precautions of disposal: Operators must have received specialized training in explosive nature disposal.

Section 14 - Transport Information

UN number: 1849
UN proper shipping name: SODIUM SULPHIDE, HYDRATED with not less than 30% water
Transportation primary hazard class: 8
Transportation secondary hazard class: —
Packing group: II

Section 15 - Regulatory Information

Component	CHINA	TSCA	ENCS	EINECS
Hydrated sodium sulfide	-	-	-	-

Note 1:**CHINA - China Inventory of Existing Chemical Substances (IECSC)****TSCA - United States Inventory of Toxic Substances Control Act Chemical Substances (TSCA)****ENCS - Japan Existing and New Chemical Substances (ENCS)****EINECS - European Inventory of Existing Commercial Chemical Substances (EINECS)****Note 2:****"√"** Indicates that the substance included in the regulations**"-"** That no data or included in the regulations**Section 16 - Additional Information**

Prepared by:	Changzhou Testing Center of Entry-Exit Industrial and Consumable Products
Completion Date:	Jan 04, 2015
Modification statement:	Original. Please update before the implementation of the GHS Sixth revised edition.
Other information:	This Safety Data Sheet (SDS) was prepared according to UN GHS (the fifth revised edition) and the information included is based on the present state of our knowledge. However, the information is provided without any warranty, express or implied, regarding its correctness and is only for users reference. Users should make their independent judgement of suitability of these information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.



四川神虹化工有限责任公司

SICHUAN SHENHONG CHEMICAL INDUSTRY CO.,LTD

YONGXING,MINGSHAN,YAAN,SICHUAN,CHINA

website: www.shjt.cn Email:shenhong@shjt.cn TEL: 0086-028-68803010 FAX: 0086-028-68803020

TECHNICAL DATA SHEET

Goods:SODIUM SULFIDE

Specification:60% red flakes

Packing:25kg pp bags

STANDARD: GB10500-2009	SPECIFICATION	
	INDEXES	
ANALYSIS ITEM	STANDARD VALUE	ANALYSIS RESULT
NA2S	60.0% MIN.	60.5%
IRON (FE)	0.030% MAX.	0.028%
WATER INSOLUBLE	0.2% MAX	0.172%
CONCLUSION	QUALIFIED	

SICHUAN SHENHONG CHEMICAL INDUSTRY CO.,LTD



Moni Ca-Jia