



PRECAUTIONARY MEASURES

Stable Bleaching Powder is a CARRIER OF CHLORINE in dry form and an OXIDISER. It has a toxic smell and in case of direct contact with body, it causes burn/irritation.

In view of the above, Stable Bleaching Powder needs special care for Transportation as well as storage in Godowns. During Summer it requires more attention and proper care to avoid fire accidents. The following are the broad guidelines, which are essential to handle Stable Bleaching Powder.

- While in storage, the room temperature should be below 40°C.
- Stable Bleaching Powder should not be stacked adjacent to the wall and there should be minimum one feet gap. It should not be stacked more than 5 bags height.



:: CONTACT ::

SHREE CHEMICAL INDUSTRIES

Mangalmurti Brand SBP, Gate No.43, Ghosapuri, Jalna Road,
Beed : 431 112 (MH)

Ph. No. : 02442 - 256 019 I

Cell : 94222 40089, 94222 44389, 98227 98333

Email : shreechemicals_beed@yahoo.co.in



MANGALMURTI BRAND

Improvement which leads to excellence. Shree Chemical Industries has distinctive edge in the manufacture of SBP Product. SBP Product manufacture by 'German Technology'. The Company Supply Product to Andhra Pradesh , Karnataka, Gujrat, Maharashtra, Kerla.

MANGALMURTI STABLE BLEACHING POWDER

Stable Bleaching Powder (Calcium Hypochloride) is a widely used chemical. It decompose on contact with water, releasing chlorine at the point of application. This makes it a strong oxidizing and Bleaching Agent.

PROPERTIES

- Appearance : White Free flowing Powder
- Specific Gravity : 2.35 at 200°C
- Physical State : Solid
- Solubility Inwater : Easily mix in water
- Odour : Pungent

■ Ingestion : If swallowed, do not induce vomiting although it may occur spontaneously.

ADVANTAGE

- "Mangalmurti Brand" SBP is a dry free flowing powder which facilities fast dissolution.
- All the batches are tested before packing & dispatch from factory.
- It has high stability; therefore it shall not lose chlorine even after long period 34% chlorine is available of storage.
- "Mangalmurti Brand" SBP Manufactured under strict quality control.



It is used for Extra shine.

- **Domestic Purpose**
It is used for cleaning floor in bathroom and toilet.
- **Sewage Disposal**
It is used for the reduction of BOD (Biochemical Oxygen Demand) in industrial Sewage.

PACKING

- 25 kgs Laminated High Density polythene bags with extra LDPE Linear.
- In 5 KG bags ideal for small consumers.





SHREE CHEMICAL INDUSTRIES BEED
TECHNICAL DATA SHEET
Revision No : 02
Document No : SCI/TDS/03

1. PRODUCT NAME

Stable Bleaching Powder (SBP)
Chemical Name: Calcium Hypochlorite

2. SPECIFICATIONS

| | Characteristics | Unit | Value |
|----|---|------|---------------------------|
| 1. | Appearance | - | White or Off-white Powder |
| 2. | Available Chlorine | % | 32.0 -35.0 |
| 3. | Stability | % | 1/15 th Max |
| 4. | Moisture | % | 0.3 |
| 5. | Particle Size (passing through 1.7 mm Sieve) | % | 99.5 MIN |

3. PROPERTIES

| | | |
|----|----------------------|----------------------------|
| 1. | Physical Appearance | White or Off-white Powder |
| 2. | Solubility | Partially soluble in water |
| 3. | Oxidizing Properties | Strong Oxidizer |
| 4. | pH value | Strong Acidic |
| 5. | Odor | Pungent odor |
| 6. | Hygroscopicity | Highly hygroscopic |

4. USES

Stable Bleaching Powder is used as a bleaching agent is Paper & Textile Industry, House Hold bleaching/cleaning applications, Wastewater Treatment and sewage disposal, oxidizing agent, disinfecting agent. It has applications in the Food processing, Beverage and Sugar Industry as well.

5. PACKING

SCI gives SBP in 25 kgs HDPE bags with two linear in it.
It comes in a laminated HDPE Bags.

6. HANDLING & STORAGE

Store in a cool, dry, well-ventilated area, away from the source of heat, direct sunlight. Avoid extended storage during summer

C.S.T.No. 431 122-C-1
B.S.T.No. 431 122-S-1



SHREE
CHEMICAL INDUSTRIES

OFFICE & FACTORY :

GAT NO. 43, GHOSAPURI, P.O.MALAPURI,
JALNA ROAD, BEED - 431 122. M.S. (INDIA)

☎ : (02442) (OFF.) 56019, (RESI.)23089,22889

Mfg. Stable Bleaching Powder Gr. 1 & 2
(PMT.S.S.I. 11/06/0 1117)

Test Certificate

Analysis of Stable Bleaching powder
As Per IS 1065 / 1989

Certificate No : - SCI/QC/ 24-25/24
Testing Date : - 17/04/2024 Batch No – 24
Nature of Sample : - STABLE BLEACHING POWDER
Quantity : - 200 gm

RESULT OF ANALYSIS

| Sr. No. | Characteristic | Requirement As per IS 1065 89 Grade 1 | Result Of The Sample Tested by firm | Remark |
|---------|---|---------------------------------------|-------------------------------------|--------|
| 1 | Available Chlorine, percent by weight, Min | 34% | 35.63% | |
| 2 | Stability, loss of Chlorine on the basis on initial available chlorine, Max | 1/15 | 1/20 | |
| 3 | Moisture, percent by weight, Max | 0.3 | 0.29 | |
| 4 | Particle size (passing through 1.70 mm IS Sieve percent by weight, Min | 99.5 | 99.9 | |

Note - The Above Sample is tested in our laboratory

Date -17/04/2024

SHREE CHEMICAL INDUSTRIES


CHEMIST



Bleaching Powder
CAS No 7778-54-3

MATERIAL SAFETY DATA SHEET
SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : **Bleaching Powder**

CAS-No. : 7778-54-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd
7/28 Vardaan House
Ansari Road Daryaganj
New Delhi-10002
INDIA

Telephone : +91 11 49404040

Email : care@cdhfinechemical.com

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 2), H272

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1B), H314

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

| | | |
|----|-------------------------------|-----|
| O | Oxidising | R 8 |
| C | Corrosive | R34 |
| Xn | Harmful | R22 |
| | | R31 |
| N | Dangerous for the environment | R50 |

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H272

May intensify fire; oxidiser.

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

H400

Very toxic to aquatic life.

Precautionary statement(s)

P220

Keep/Store away from clothing/ combustible materials.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/ physician.

Supplemental Hazard information (EU)

EUH031

Contact with acids liberates toxic gas.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

| | | |
|------------------|---|----------------------|
| Molecular Weight | : | 142,98 g/mol |
| CAS-No. | : | 7778-54-3 |
| EC-No. | : | 231-908-7 |
| Index-No. | : | 017-012-00-7 |
| Formula | : | Ca(OCl) ₂ |

Hazardous ingredients according to Regulation (EC) No 1272/2008

| Component | Classification | Concentration |
|-----------------------------|----------------|---|
| Calcium hypochlorite | | |
| CAS-No. | 7778-54-3 | Ox. Sol. 2; Acute Tox. 4; Skin Corr. 1B; Aquatic Acute 1; H272, H302, H314, H400, EUH031 |
| EC-No. | 231-908-7 | |
| Index-No. | 017-012-00-7 | |

Hazardous ingredients according to Directive 1999/45/EC

| Component | Classification | Concentration |
|-----------------------------|----------------|---|
| Calcium hypochlorite | | |
| CAS-No. | 7778-54-3 | O, C, N, R 8 - R22 - R31 - R34 - R50 |
| EC-No. | 231-908-7 | |
| Index-No. | 017-012-00-7 | |

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Dry powder

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas, Calcium oxide

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage. Do not store near acids.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|-------------------------------|
| a) Appearance | Form: powder Colour: beige |
| b) Odour | no data available |
| c) Odour Threshold | no data available |
| d) pH | no data available |
| e) Melting point/freezing point | Melting point/range: 100 °C |
| f) Initial boiling point and boiling range | no data available |
| g) Flash point | not applicable |
| h) Evaporation rate | no data available |
| i) Flammability (solid, gas) | no data available |
| j) Upper/lower flammability or explosive limits | no data available |
| k) Vapour pressure | no data available |

- | | |
|---|--|
| l) Vapour density | no data available |
| m) Relative density | 2,350 g/cm ³ |
| n) Water solubility | Soluble |
| o) Partition coefficient: n-octanol/water | no data available |
| p) Auto-ignition temperature | no data available |
| q) Decomposition temperature | no data available |
| r) Viscosity | no data available |
| s) Explosive properties | no data available |
| t) Oxidizing properties | The substance or mixture is classified as oxidizing with the category 2. |

9.2 Other safety information
no data available

SECTION 10: Stability and reactivity

10.1 Reactivity
no data available

10.2 Chemical stability
Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions
no data available

10.4 Conditions to avoid
no data available

10.5 Incompatible materials
Incompatible with acids., Strong reducing agents

10.6 Hazardous decomposition products
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 850 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Hamster

fibroblast

Cytogenetic analysis

Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Calcium hypochlorite)

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: Not available

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish LC50 - Lepomis macrochirus - 0,057 mg/l - 96,0 h

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 0,067 mg/l - 48 h

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Very toxic to aquatic life.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADR/RID: 1748

IMDG: 1748

IATA: 1748

14.2 UN proper shipping name

ADR/RID: CALCIUM HYPOCHLORITE, DRY

IMDG: CALCIUM HYPOCHLORITE, DRY

IATA: Calcium hypochlorite, dry

14.3 Transport hazard class(es)

ADR/RID: 5.1

IMDG: 5.1

IATA: 5.1

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

14.6 Special precautions for user

no data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

| | |
|---------------|--|
| Acute Tox. | Acute toxicity |
| Aquatic Acute | Acute aquatic toxicity |
| EUH031 | Contact with acids liberates toxic gas. |
| H272 | May intensify fire; oxidiser. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H400 | Very toxic to aquatic life. |
| Ox. Sol. | Oxidizing solids |
| Skin Corr. | Skin corrosion |

Full text of R-phrases referred to under sections 2 and 3

| | |
|-----|---|
| C | Corrosive |
| N | Dangerous for the environment |
| O | Oxidising |
| R 8 | Contact with combustible material may cause fire. |
| R22 | Harmful if swallowed. |
| R31 | Contact with acids liberates toxic gas. |
| R34 | Causes burns. |
| R50 | Very toxic to aquatic organisms. |

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.



| Parameters | Commercial Grade | Industrial |
|---------------------|--|-------------|
| Physical Appearance | White or nearly white free flowing powder | |
| Available Chlorine | 30 % ± 1 | 35 % ± 1 |
| Moisture | 0.50 % max. | 0.50 % max. |
| Particle Size | 99.0 % | 99.0 % |
| Stability | Does not lose > 1/15th of available chlorine on heating at 100 °C for 2 hours. | |

Disclaimer: The Company does not accept liability arising from the use of this information, or the use, application, adaptation or process of any products described herein.

Head Office:

First Floor, 71-D, Commercial Area DHA, Phase- XII, {EME} Lahore Pakistan.

Tel: +92 423 523 4 499 | +92 423 523 4 498 | Website: www.mzgroup.biz | Email: info@mzgroup.biz